

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	26	(allen-loretta-e.in. bryant-robert-c.in. simpson-william-h.in. patton-david-l.in. frosig-peter-a.in.) and @pd>"20050627"	US-PGPUB ; USPAT; USOCR; EPO; JPO	OR	OFF	2005/10/24 09:40
L2	2	overlay\$3 near5 (barcode (bar adj code)) and @pd>"20050627"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/10/24 09:45
L3	0	overlay\$3 near5 (barcode (bar adj code)) and @pd>"20050627"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 09:46
L4	0	(duplicat\$3 identical\$2) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (overlay\$3 superpos\$3 superimpos\$3 register) and @pd>"20050627"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/10/24 09:46
L5	1	(duplicat\$3 identical\$2) near5 (code\$1 indicia) near5 (overlay\$3 superpos\$3 superimpos\$3 register) near5 (read\$3 scan\$4) and @pd>"20050627"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/10/24 09:47
L6	0	(duplicat\$3 identical\$2) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (overlay\$3 superpos\$3 superimpos\$3 register) and @pd>"20050627"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 09:47
L7	0	(duplicat\$3 identical\$2) near5 (code\$1 indicia) near5 (overlay\$3 superpos\$3 superimpos\$3 register) near5 (read\$3 scan\$4) and @pd>"20050627"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 09:48
L8	1	(duplicat\$3 identical\$2) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (above ((over on) adj top)) and @pd>"20050627"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/10/24 09:48

L9	0	(duplicat\$3 identical\$2) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (above ((over on) adj top)) and @pd>"20050627"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 09:49
L10	1	(duplicat\$3 identical\$2) near5 (code\$1 indicia) near5 (overlay\$3 superpos\$3 superimpos\$3 register) same (read\$3 scan\$4) and @pd>"20050627"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/10/24 09:49
L11	0	(duplicat\$3 identical\$2) near5 (code\$1 indicia) near5 (overlay\$3 superpos\$3 superimpos\$3 register) same (read\$3 scan\$4) and @pd>"20050627"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 09:50
L12	0	(redundant) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (overlay\$3 superpos\$3 superimpos\$3 register) and @pd>"20050627"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/10/24 09:50
L13	0	(redundant) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (above ((over on) adj top)) and @pd>"20050627"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/10/24 09:50
L14	0	(redundant) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (overlay\$3 superpos\$3 superimpos\$3 register) and @pd>"20050627"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 09:50
L15	0	(redundant) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (above ((over on) adj top)) and @pd>"20050627"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 09:50
L16	9	(duplicat\$3 identical\$2 redundant) near5 (barcode\$1 (bar adj1 code\$1)) near5 (print\$3 form\$3) and @pd>"20050627"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/10/24 09:51

L17	4	(duplicat\$3 identical\$2 redundant) near5 (barcode\$1 (bar adj1 code\$1)) near5 (print\$3 form\$3) and @pd>"20050627"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 09:55
L18	0	(duplicat\$3 identical\$2) near5 (code\$1 indicia) near5 (overlay\$3 superpos\$3 superimpos\$3 register) near5 (clear transparent translucent (see adj through)) and @pd>"20050627"	US-PGPUB ; USPAT; USOCR	OR	OFF	2005/10/24 09:58
L19	1048	235/494.ccls.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/10/24 10:28
L20	217	235/468.ccls. not 235/494.ccls.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/10/24 10:36
L21	786	235/462.01.ccls. not (235/468. ccls. 235/494.ccls.)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/10/24 11:18
L22	548	283/74.ccls. not (235/462.01. ccls. 235/468.ccls. 235/494.ccls.)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/10/24 11:35
L23	293	283/91.ccls. not (283/74.ccls. 235/462.01.ccls. 235/468.ccls. 235/494.ccls.)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/10/24 11:43
L24	136	347/212.ccls. not (283/91.ccls. 283/74.ccls. 235/462.01.ccls. 235/468.ccls. 235/494.ccls.)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/10/24 11:47
L25	79	400/120.02.ccls. not (347/212. ccls. 283/91.ccls. 283/74.ccls. 235/462.01.ccls. 235/468.ccls. 235/494.ccls.)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/10/24 13:36
L26	1597	235/487.ccls. not (400/120.02. ccls. 347/212.ccls. 283/91.ccls. 283/74.ccls. 235/462.01.ccls. 235/468.ccls. 235/494.ccls.)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/10/24 13:10
L27	1523	235/487.ccls. and (overlay\$3 overlamine (over adj (lay\$3 lamine)) registration above align\$4 superpos\$3 superimpos\$3)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/10/24 13:14

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L28	519	235/487.ccls. and ((overlay\$3 overlamine (over adj (lay\$3 laminate)) registration above align\$4 superpos\$3 superimpos\$3) with (indicia content code barcode indicium symbol\$3 text character dataform symbolog\$4))	US-PGPUB ; USPAT; USOCR	OR	ON	2005/10/24 13:15
L29	192	235/491.ccls. not (400/120.02. ccls. 347/212.ccls. 283/91.ccls. 283/74.ccls. 235/462.01.ccls. 235/468.ccls. 235/494.ccls.)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/10/24 13:36
L45	1	("3755730").PN.	US-PGPUB ; USPAT	OR	OFF	2005/10/24 14:40
L46	9	((("3755730") or ("4923749") or ("6562178") or ("3864855") or ("6214443") or ("6436483") or ("5410642") or ("5747155") or ("5856048"))).PN.	US-PGPUB ; USPAT	OR	OFF	2005/10/24 16:24
L47	1	("6494491").PN.	US-PGPUB ; USPAT	OR	OFF	2005/10/24 16:32
L48	16	((("5575507") or ("5316343") or ("4889367") or ("20020105183") or ("5259907") or ("5522623") or ("20040028880") or ("20040029732") or ("20020108702") or ("6664212") or ("6346316") or ("6308630") or ("5432145") or ("5322832") or ("5244234") or ("6494491"))).PN.	US-PGPUB ; USPAT	OR	OFF	2005/10/24 16:33